

**IN THE CLAIMS:**

*Please amend Claims 1, 3 and 4 and add new Claims 5 through 8 as follows:*

---

1. (Amended) A bottle cap for a bottle which holds contents, comprising:

a cap body having an inner cap coupled so as to open or close the mouth of the bottle, and an outer cap made to rotate in a circumferential direction only and fixedly coupled to the inner cap so as not to deviate from the inner cap, said inner cap and said outer cap each including a top surface and a peripheral side wall;

ratcheting means for operatively associating said inner cap with said outer cap by providing unidirectional engagement between said inner cap and said outer cap, said ratcheting means having first and second teeth formed at facing portions of the inner and outer circumferential surfaces of the side walls of the inner and outer caps and engaged to be moved unidirectionally, and first and second protrusions spaced apart from the ratcheting teeth and protruding from the facing portions of the inner and outer caps, for integrally rotating the inner and outer caps from the mouth of the bottle such that the first and second ratcheting protrusions are engaged with each other when the second ratcheting teeth move relative to the first ratcheting teeth by stages; and

opening/closing identification means for displaying whether the cap body has been opened or not, said opening/closing identification means having a portion of displaying whether the cap body had been opened or not, printed on the top surface of the inner cap, and an identification means for identifying from the outside whether the cap body has been opened or not according to the movement of the second ratcheting teeth relative to the first ratcheting teeth, said identification means being formed on the top surface of the outer cap.

---

3. (Amended) The bottle cap according to claim 1, wherein the identification means includes convex portions for covering a display portion and concave portions for uncovering a display portion, the convex and concave portions formed along the periphery of an opening hole opened by perforating a portion of the top surface of the outer cap, at the same spacing as the ratcheting teeth.

4. (Amended) The bottle cap according to claim 1, wherein the identification means is configured such that holes are formed on a portion of the top surface of the outer cap at the same spacing as the ratcheting teeth to uncover the display portion therethrough.

---

---

5. (New) A bottle cap for a bottle which holds contents,  
comprising:

a cap body having an inner cap coupled so as to open or close the mouth of the bottle, and an outer cap made to rotate in a circumferential direction only and fixedly coupled to the inner cap, said inner cap and said outer cap each including a top surface and a peripheral side wall;

ratcheting means for operatively associating said inner cap with said outer cap by providing unidirectional engagement between said inner cap and said outer cap, said ratcheting means having first and second teeth formed at facing portions of the inner and outer circumferential surfaces of the side walls of the inner and outer caps and engaged to be moved unidirectionally, and first and second protrusions spaced apart from the ratcheting teeth and protruding from the facing portions of the inner and outer caps; and

opening/closing identification means for displaying whether the cap body has been opened or not, said opening/closing identification means having a portion of displaying whether the cap body had been opened or not, printed on the top surface of the inner cap, and an identification means for identifying from the outside whether the cap body has been opened or not, said identification means being formed on the top surface of the outer cap.

6. (New) The bottle cap according to claim 4, wherein the inner and outer caps are integrally connected by fixed protrusions and grooves formed at facing portions of inner and outer circumferential surfaces thereof.

7. (New) The bottle cap according to claim 5, wherein the identification means includes convex portions for covering a display portion and concave portions for uncovering a display portion, the convex and concave portions formed along the periphery of an opening hole opened by perforating a portion of the top surface of the outer cap.

8. (New) The bottle cap according to claim 5, wherein the identification means is configured such that holes are formed on a portion of the top surface of the outer cap.

---